# NATURAL CREATIONS® with Diamond10® Technology - Luxury Vinyl Tile by Armstrong Flooring, Inc.

# **Health Product** Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 65 00

PRODUCT DESCRIPTION: Pioneering Natural Creations® Luxury Vinyl Tile provides unlimited creative design combinations while incorporating our Diamond 10® Technology to keep floors looking newer longer with the highest scratch, stain, and scuff resistance in the industry.



# Section 1: Summary

# **Basic Method / Product Threshold**

### CONTENT INVENTORY

## **Inventory Reporting Format**

- Nested Materials Method
- Basic Method

#### **Threshold Disclosed Per**

- Material
- Product

## Threshold level

- C 100 ppm
- ① 1,000 ppm
- Per GHS SDS Per OSHA MSDS
- Other

#### Residuals/Impurities

- Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes No

All Substances Above the Threshold Indicated Are:

 ○ Yes Ex/SC Yes No Characterized

% weight and role provided for all substances.

○ Yes Ex/SC ○ Yes ○ No Screened

All substances screened using Priority Hazard Lists with results disclosed.

Identified ○ Yes Ex/SC Yes No

All substances disclosed by Name (Specific or Generic) and Identifier.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE** | HAZARD TYPE

NATURAL CREATIONS® WITH DIAMOND10® TECHNOLOGY - LUXURY VINYL TILE [ CALCIUM CARBONATE LT-UNK POLYVINYL CHLORIDE LT-P1 | RES VINYL CHLORIDE-VINYL ACETATE COPOLYMERS LT-UNK DI(2-ETHYLHEXYL) TEREPHTHALATE BM-3dg CALCIUM HYDROXIDE (CA(OH)2) LT-P1 ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-P1

Nanomaterial ... No

### **INVENTORY AND SCREENING NOTES:**

Residuals/impurities are quantitatively measured and are displayed in the HPD when greater than 1000 ppm.

### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: FloorScore®

LCA: Industry-Wide Environmental Product Declaration

# **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes

No

PREPARER: Self-Prepared

VERIFIER: VERIFICATION #: SCREENING DATE: 2020-02-06 PUBLISHED DATE: 2020-04-03 EXPIRY DATE: 2023-02-06



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

## NATURAL CREATIONS® WITH DIAMOND10® TECHNOLOGY - LUXURY VINYL TILE

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED:

Yes

RESIDUALS AND IMPURITIES NOTES: Residuals/impurities are quantitatively measured and are displayed in the HPD when greater than 1000 ppm.

OTHER PRODUCT NOTES: For more information on this product visit: https://www.armstrongflooring.com/commercial/enus/products/lvt-luxury-flooring.html

CALCIUM CARBONATE				ID: <b>1317-65-</b>
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-02-06		
%: 60.00 - 65.00	gs: <b>LT-UNK</b>	RC: None	NANO: <b>Unknown</b>	ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings found on HPI	O Priority Hazard Lists

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-02-06		
%: <b>15.00 - 18.00</b>	GS: LT-P1	RG: None	NANO: <b>Unknown</b>	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		

#### **VINYL CHLORIDE-VINYL ACETATE COPOLYMERS** ID: 9003-22-9 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-02-06 %: 15.00 - 18.00 GS: LT-UNK ROLE: Binder NANO: Unknown RC: None

None found

AGENCY AND LIST TITLES

WARNINGS

No warnings found on HPD Priority Hazard Lists

## DI(2-ETHYLHEXYL) TEREPHTHALATE

SUBSTANCE NOTES: Binder component

ID: **6422-86-2** 

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-02-06		
%: 5.00 - 8.00	GS: <b>BM-3dg</b>	RC: None	NANO: <b>Unknown</b>	ROLE: Plasticizer	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No warnings found on HPD Priority Hazard Lists			
SUBSTANCE NOTES: <b>Binder</b>	component				

## **CALCIUM HYDROXIDE (CA(OH)2)**

ID: 1305-62-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-02-06		
%: <b>0.00 - 1.00</b>	GS: LT-P1	RC: None	NANO: <b>Unknown</b>	ROLE: Stabilizer	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found No warnings found on HPD Priority Hazard L			HPD Priority Hazard Lists		

SUBSTANCE NOTES: Binder component



# **Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

### **VOC EMISSIONS**

#### **FloorScore®**

CERTIFYING PARTY: Third Party

**ISSUE DATE: 2019-**

EXPIRY DATE: 2020-

CERTIFIER OR LAB: SCS Global

APPLICABLE FACILITIES: Lancaster, PA

09-01

08-31

Services

CERTIFICATE URL:

https://www.armstrongflooring.com/pdbupimages-

flr/220311.pdf

**CERTIFICATION AND COMPLIANCE NOTES:** 

### **LCA**

#### **Industry-Wide Environmental Product Declaration**

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Lancaster PA ISSUE DATE: 2019-

EXPIRY DATE: 2024-

CERTIFIER OR LAB: UL

01-01

01 - 01

Environment

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: This environmental product declaration is provided by members of the Resilient Floor Covering Institute (RFCI). This declaration for vinyl tile covers a broad range of styles and colors produced by RFCI manufacturers of this flooring product.



# Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

## ADHESIVES RECOMMENDED FOR INSTALLATION

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Full-Spread Adhesives: S-288 Premium, S-240 Epoxy, S-310 Roll Strong™, S-980, S-1000 See www.armstrongflooring.com for more information.



# Section 5: General Notes

This HPD is provided solely for the intended recipient in connection with its assessment of products and for no other purpose. In providing information, Armstrong Flooring expresses no opinion and makes no representations as to the applicability, suitability, accuracy or completeness of the declaration form, or the standards, rules, classifications, warnings, or criteria utilized or referenced therein. Information herein is qualified in the entirety by reference to the applicable product Safety Data Sheet (SDS) which can be located at www.armstrongflooring.com, as well as by the additional ingredient information provided for specified substances. Please refer to the Armstrong Flooring website for more information on this product.

#### MANUFACTURER INFORMATION

MANUFACTURER: Armstrong Flooring, Inc.

ADDRESS: 1067 Dillerville Road

Lancaster PENNSYLVANIA 17603, United States

WEBSITE: www.armstrongflooring.com

CONTACT NAME: TechLine

TITLE: Customer Service PHONE: 1-888-276-7876

EMAIL: fpotechline@armstrongflooring.com

### **KEY**

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Hazard Types**

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity **END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

**NEU** Neurotoxicity

**OZO** Ozone depletion **PBT** Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity
RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

NF Not found on Priority Hazard Lists

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

**Both** Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

**Other Terms** 

**Inventory Methods:** 

LT-P1 List Translator Possible Benchmark 1
LT-1 List Translator Likely Benchmark 1
LT-LINK List Translator Benchmark Linknow

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
NoGS Unknown (no data on List Translator Lists)

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
  created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.