

Brittmau Oak™: 80870 Palo Santo, Elementis™: 80862 Splash, Tibetan Oak™: 80854 Temple



Nidra™
Heterogeneous Sheet



Brittneu Oak: 80870 Palo Santo

The Seeds of Intention

The Nidra collection is inspired by the organic, all-natural beauty of wood grains and the calming energies that emerge when connected to nature.

Influenced by the practice of rooting down and taking intentional pauses, the aim of Nidra is to enhance peace and tranquility in healing spaces.



Brittnau Oak: 80870 Palo Santo, 80873 Cedar

Brittnau Oak™ is available in 10 colorways ranging from light and airy to dark and nutty. Brittnau Oak showcases an assortment of simplistic patterns with crosscut bullseyes and low-to-mid-grain visuals throughout.



80870 Palo Santo



80871 Ylang



80875 Myrrh




80872 Lavender




80874 Vetiver



80876 Melissa



80873 Cedar



80878 Sandal



80877 Saffron



80879 Zen

REVEAL Everything

Armstrong Flooring is committed to bold transparency – in a way that is easy to understand, easy to access, and verified to be true by third-party evaluators. Our goal is to make your job easier when it comes to making sustainable choices.

- Health Product Declaration (HPD) available
- Low VOC emissions and FloorScore® certified
- Recyclable through the On&On® Recycling Program
- Free of ortho-phthalates and heavy metals

Elements™ is inspired by mandalas – a geometric configuration of symbols typically used for meditative purposes – Elements applies a parquet design to aid in creating relaxing spaces of intent. Designed with modern healing spaces in mind, the mandala pattern helps induce a sense of serenity.



80863 Terrain



80861 Pyre



80862 Splash



80860 Zephyr



Tibetan Oak: 80853 Pristine

Tibetan Oak™ is reimagined oak visuals that feature a combination of tight vertical and wild wood grains. Tibetan Oak emits a sense of tranquility and is available in six colorways with varying plank-width visuals.



80850 Kailash



80852 Sera



80854 Temple



80851 Lhasa



80853 Pristine



80855 Potala



Proven Performance


Manufactured in Stillwater, Oklahoma, with Diamond 10 Technology, Nidra is engineered to stand up to the wear and tear of commercial settings.

- A low maintenance solution – no polishing, stripping, or restorative maintenance required
- Provides enhanced traction for an added measure of safety where it matters most – achieves R10 Rating per standard DIN EN 16165
- Features reinforced calendared layers for protection from rips, tears, and gouges
- Protects against scratches, stains, and scuffs for floors that look newer, longer

Nidra is available in multiple widths – 6, 9, and 12-foot rolls – to provide installation and design flexibility. Larger roll widths can reduce the number of seams in corridors, under patient beds, and in large open areas.



Zenscape™ Aurora™: 80732 Hawthorn, Asana™ Allure™: 80771 Cedar, Nidra™ Brittnau Oak™: 80872 Lavender



1. Diamond 10® Technology with Enhanced Traction - cultured diamond-infused coating for scratch, stain, scuff, and slip resistance
2. Performance Wear Layer
3. Designer Printed Visual
4. Fiberglass-Reinforced Base

10 Year Commercial Limited Warranty

Supported by a 10 Year Commercial Warranty. Add 10 years of overall warranty coverage by using Strong System™ subfloor preparation products. Visit armstrongflooring.com for more information.

A 10-year underbed warranty applies when installed with S-995 Adhesive.

Product Information

Construction - Heterogeneous Sheet

International Specifications - ASTM F1303, Type I, Grade 1, Class B

Overall Thickness - 0.080 in. (2.0 mm)

Wear Layer Thickness - 0.020 in. (0.50 mm)

Size - Up to 96 ft. (29.26 m) 6 ft. (1.83 m)

Up to 72 ft. (21.95 m) 9 ft. (2.74 m)

Up to 72 ft. (21.95 m) 12 ft. (3.66 m)

Factory Finish - Diamond 10® Technology

Installation - S-995 Adhesive, S-580 Flash Cove Adhesive

Seams - Heat Weld or S-761 Seam Adhesive

Maintenance Options - Polish Optional

Shade may vary from sample.

ArmstrongFlooring™

Walk On. Walk Strong.™

 Diamond 10
Technology™



Visit [ArmstrongFlooring.com](https://www.armstrongflooring.com)

for complete Product, Technical,
Adhesives, Installation and
Maintenance recommendations.



Print#: FP7440F10766-222

Printed in USA. | Armstrong and the Armstrong logo are under license from AWI Licensing LLC. | All other trademarks are owned by AFI Licensing LLC. | © 2022 AFI Licensing LLC.
FloorScore® is a registered trademark of the Resilient Floor Covering Institute.