

*SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:*

# Armstrong Flooring, Inc.

2500 Columbia Avenue, Lancaster, PA, USA; 4115 North Perkins Road, Route 177, Stillwater, OK, USA; No. 683, Yuexiu Road, Wujiang, Jiangsu, China; 29-39 Mills Road, Braeside, Victoria, Australia; 881 Bugang-ri, Buyong-myun, Chungwon-gun, N.Chungchung, Korea

For the following product(s):

See Addendum

The product(s) meets all of the necessary qualifications to be certified for the following claim:

## **FloorScore®**

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Between 0.5 – 5.0 mg/m<sup>3</sup> (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Registration # SCS-FS-01336

Valid from: September 1, 2020 to August 31, 2021

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.



ISO/IEC 17065  
Product Certification Body  
#0821



A handwritten signature in black ink that reads "Stanley Mathuram".

Stanley Mathuram, PE, Vice President  
SCS Global Services

2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA

## Certification Addendum

# Armstrong Flooring, Inc.

Certification: Registration # SCS-FS-01336 | Valid from: September 1, 2020 to August 31, 2021

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.

Addendum  
Conformance: **FloorScore®**

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Between 0.5 – 5.0 mg/m<sup>3</sup> (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Products: **Sheet Vinyl:**

Abode®, Accolade Plus, Accolade Safe, Appause, Armalon NG, Ashton, Athleta, Bridgeway, Bridgeway Flex, Cameron, Colorart Medintone, Colorwin, Concerto I, Concerto II, Concerto III, Contour, Crysolit – Chip, Crysolit – Fusion, CushionStep™ Better, CushionStep™ Good, Corlon®, Duality™ Commercial, Duality™ Premium, Endur, Favorite, FlexStep Good, FlexStep Value, FlexStep Value Plus, Forsyth, Harpeth, Illuminations, Illusions, Infinity, Infinity Safe, Initiator, iSpark, Jeenet, Kleara, Linocular, Medintech with Diamond 10® Technology, Medintone with Diamond 10® Technology, Medinpro, Medintech Plus, Medintech Plus Acoustic, Memories, Metro, Navigator, PASTELL ESD 1719, Perspectives, Possibilities®, Progressions, Promo Segways, Rejuvenations, Rejuvenations with Diamond 10® Technology, Rejuvenations® Classics, Restore, Rockville, Royelle, Safety Zone™ Sheet, Santiburi, Sensations, Sidecar, Simpurity,

## Certification Addendum

# Armstrong Flooring, Inc.

Certification: Registration # SCS-FS-01336 | Valid from: September 1, 2020 to August 31, 2021

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product certification; certified products are only listed on the SCS Green Products Guide, <http://www.scsglobalservices.com/certified-green-products-guide>.

Addendum  
Conformance: **FloorScore®**

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Between 0.5 – 5.0 mg/m<sup>3</sup> (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Products: Starlux, Station Square, StrataMax Best, StrataMax Better, StrataMax Good, StrataMax Value, StrataMax Value Plus, Timberline, TPro, Traditions, TraMetro, Translations, Traveler II, Underlayment S-1842, Varit, Varit Plus, VoyBon, Voystarz, Walldesign  
*Added February 6, 2021:* Continuity™, Continuity™ Comfort, Continuity™ HD, DuraStride™, Home Images™, Home Images™ Pro, Home Reflections™, Home Reflections™ Pro