

Medintech® and Medintone™ with Diamond 10® Technology - Homogeneous Sheet Vinyl by Armstrong Flooring, Inc.

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 65 00

PRODUCT DESCRIPTION: Designed to provide beautiful, easy-to-clean and long-lasting floors, Medintone™ and Medintech® sheet flooring offer a spectrum of colors that provide a clean, fresh appearance; assist in wayfinding; and create comfortable, engaging spaces.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?
 Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No
 % weight and role provided for all substances.

Screened Yes Ex/SC Yes No
 All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No
 All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
MEDINTECH® AND MEDINTONE™ WITH DIAMOND 10® TECHNOLOGY -
HOMOGENEOUS SHEET VINYL [CALCIUM CARBONATE LT-UNK POLYVINYL
CHLORIDE LT-P1 | RES DI(2-ETHYLHEXYL) TEREPHTHALATE BM-3dg TITANIUM
DIOXIDE LT-1 | CAN | END SOYBEAN OIL, EPOXIDIZED LT-P1 CALCIUM HYDROXIDE
(CA(OH)2) LT-P1 PHOSPHOROUS ACID, 2-ETHYLHEXYL DIPHENYL ESTER LT-P1]

Number of Greenscreen BM-4/BM3 contents ... 0
 Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1
 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:
 Residuals/impurities are quantitatively measured and are displayed in the HPD when greater than 100 ppm.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: FloorScore®
 LCA: Industry-Wide Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:
 VERIFICATION #:

SCREENING DATE: 2020-04-03

PUBLISHED DATE: 2020-04-03

EXPIRY DATE: 2023-04-03



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

MEDINTECH® AND MEDINTONE™ WITH DIAMOND 10® TECHNOLOGY - HOMOGENEOUS SHEET VINYL

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED:

Yes

RESIDUALS AND IMPURITIES NOTES: Residuals/impurities are quantitatively measured and are displayed in the HPD when greater than 100 ppm.

OTHER PRODUCT NOTES: For more information on this product visit: <https://www.armstrongflooring.com/commercial/en-us/products/hom.html>

CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-04-03

%: 40.00 - 45.00

GS: LT-UNK

RC: None

NANO: Unknown

ROLE: Filler

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Limestone filler

POLYVINYL CHLORIDE

ID: 9002-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-04-03

%: 35.00 - 40.00

GS: LT-P1

RC: None

NANO: Unknown

ROLE: Binder

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY

AOEC - Asthmagen

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Binder

DI(2-ETHYLHEXYL) TEREPHTHALATE

ID: 6422-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-04-03

%: 10.00 - 15.00

GS: BM-3dg

RC: None

NANO: Unknown

ROLE: Plasticizer

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Binder component

TITANIUM DIOXIDE

ID: 13463-67-7

%: **1.00 - 5.00** GS: **LT-1** RC: **None** NANO: **Unknown** ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: Titanium dioxide is listed as a hazard in respirable form. Titanium dioxide is not in a respirable form in the final product.

SOYBEAN OIL, EPOXIDIZED

ID: **8013-07-8**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-04-03**

%: **0.50 - 3.00** GS: **LT-P1** RC: **None** NANO: **Unknown** ROLE: **Plasticizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Bio-based binder component

CALCIUM HYDROXIDE (CA(OH)₂)

ID: **1305-62-0**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-04-03**

%: **0.10 - 1.00** GS: **LT-P1** RC: **None** NANO: **Unknown** ROLE: **Stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Binder stabilizer

PHOSPHOROUS ACID, 2-ETHYLHEXYL DIPHENYL ESTER

ID: **15647-08-2**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-04-03**

%: **0.10 - 1.00** GS: **LT-P1** RC: **None** NANO: **Unknown** ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Binder component

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

FloorScore®

CERTIFYING PARTY: **Third Party**
APPLICABLE FACILITIES: **Wujiang, CHINA**

ISSUE DATE: **2019-09-01** EXPIRY DATE: **2020-08-31**

CERTIFIER OR LAB: **SCS Global Services**

CERTIFICATE URL:

<https://www.armstrongflooring.com/pdbupimages-flr/220312.pdf>

CERTIFICATION AND COMPLIANCE NOTES:

LCA

Industry-Wide Environmental Product Declaration

CERTIFYING PARTY: **Third Party**
APPLICABLE FACILITIES: **Wujiang, CHINA**

ISSUE DATE: **2019-01-01** EXPIRY DATE: **2024-01-01**

CERTIFIER OR LAB: **UL Environment**

CERTIFICATE URL:

<https://www.armstrongflooring.com/pdbupimages-flr/219175.pdf>

CERTIFICATION AND COMPLIANCE NOTES: This environmental product declaration is provided by members of the Resilient Floor Covering Institute (RFCI). This declaration covers a broad range of styles and colors produced by RFCI manufacturers of homogeneous vinyl flooring.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

ADHESIVES RECOMMENDED FOR INSTALLATION

HPD URL: **No HPD link provided**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Full-Spread Adhesives: S-599, S-543, Flip® Spray Adhesive, S-240 Epoxy Seams: Heat Weld or S-761 Seam Adhesive, S-580 Flash Cove Adhesive See www.armstrongflooring.com for more information.

Section 5: General Notes

This HPD is provided solely for the intended recipient in connection with its assessment of products and for no other purpose. In providing information, Armstrong Flooring expresses no opinion and makes no representations as to the applicability, suitability, accuracy or completeness of the declaration form, or the standards, rules, classifications, warnings, or criteria utilized or referenced therein. Information herein is qualified in the entirety by reference to the applicable product Safety Data Sheet (SDS) which can be located at www.armstrongflooring.com, as well as by the additional ingredient information provided for specified substances. Please refer to the Armstrong Flooring website for more information on this product.

MANUFACTURER INFORMATION

MANUFACTURER: **Armstrong Flooring, Inc.**
ADDRESS: **No. 683, Yuexiu Road**
FOHO New & Hi-Tech Industrial Development Zone
Wujiang Jiang Su Province 215211, People's
Republic of China
WEBSITE: **www.armstrongflooring.com**

CONTACT NAME: **TechLine**
TITLE: **Customer Service**
PHONE: **1-888-276-7876**
EMAIL: **fpotechline@armstrongflooring.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.